## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26236	"338"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:14
L2	1953118	groove or recess	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:07
L3	94	terminal near electrode near low near resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:08
L4	6976	chip near resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:15
L5	75	1 and 2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:15
L9	73	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:16
L11	243	terminal near low near resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:18
L12	2	1 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:17
L14	118532	low near resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:19

## **EAST Search History**

L15	529502	insulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:19
L17	411	4 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:20
L18	62	15 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:20
L19	0	11 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:20
L20	22	2 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:22
L21	3	1 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:21
L22	0	("7084733").URPN.	USPAT	OR	ON	2006/08/31 11:33
L23	618	338/309.ccls.	USPAT	OR	ON	2006/08/31 11:33
L24	102	14 and 23	USPAT	OR	ON	2006/08/31 11:33
L25	1	11 and 23	USPAT	OR	ON	2006/08/31 11:34
L26	55	4 and 23	USPAT	OR	ON	2006/08/31 11:34
L27	82	2 and 23	USPAT	OR	ON	2006/08/31 11:34
L28	19	26 and 27	USPAT	OR	ON	2006/08/31 11:34
L29	8651	concave adj groove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:05
L30	0	23 and 29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:04

## **EAST Search History**

L31	2	4 and 29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:04
L32	6920	concave adj (recess or hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:05
L33	6	1 and 32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:07
L34	6	4 and 32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:06
L35	22010	groove same recess same opening	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:08
L36	9598	terminal same electrode and low near resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2006/08/31 12:08
L37	957093	35 band 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:09
L38	12	35 and 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:09